

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Everbuild Patio Wizard Concentrate **1.2 Relevant identified uses of the substance or mixture and uses advised against**

1.3 Details of the supplier of the safety data sheet

Company	:	Everbuild – A Sika Company Site 41 Knowsthorpe Way Cross Green Industrial Estate Leeds West Yorkshire LS9 0SW United Kingdom
Telephone	:	0113 240 3456
E-mail address	:	everbuild.sds@uk.sika.com

1.4 Emergency telephone number

Emergency telephone num-	:	0044 113 240 3456 (office hours only)
ber		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product	:	Mixture
-----------------	---	---------

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1B	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Everbuild Patio Wizard Concentrate



Revision Date 04.12.2017	cen		ersion 3.0	Print Date 05.12.2
		-		
Hazard statements	:	H314 H410	Causes severe skin burns Very toxic to aquatic life wi effects.	
Precautionary statements	:	P101 P102 Prevention:	If medical advice is needed container or label at hand. Keep out of reach of childr	•
		P280	Wear protective gloves/ pr eye protection/ face protection/	
		Response:		
		P301 + P330 + F	P331 IF SWALLOWED: Rir NOT induce vomiting.	ise mouth. Do
		P303 + P361 + F	0	
		P304 + P340 + F	P310 IF INHALED: Remove air and keep comfortable for mediately call a POISON (or breathing. Im-
			P338 + P310 IF IN EYES: F with water for several minu contact lenses, if present a Continue rinsing. Immedia POISON CENTER/doctor.	Rinse cautiously utes. Remove and easy to do. tely call a
		Disposal: P501	Dispose of contents/contai	ner in accord-
			ance with local regulation.	

Hazardous components which must be listed on the label:

• 270-325-2 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides 68424-85-1 270-325-2 01-2119965180-41-XXXX	Acute Tox.4; H302 Skin Corr.1B; H314 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic1; H410	>= 10 - < 20

For the full text of the H-Statements mentioned in this Section, see Section 16.





SECTION 4: First aid measures

4.1 Description of first aid measu	res		
General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	: Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.		
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing. 		
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. 		
4.2 Most important symptoms an	d effects, both acute and delayed		
Symptoms	: Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks	: Health injuries may be delayed. corrosive effects		
	Causes serious eye damage. Causes severe burns.		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for





extinction.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	: No hazardous combustion products are known
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contam- inated fire extinguishing water must be disposed of in accord- ance with local regulations.

Version 3.0

SECTION 6: Accidental release measures

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and materials for cont	ainment and cleaning up
Methods for cleaning up :	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see section	ion 8.
SECTION 7: Handling and stora	ge
7.1 Precautions for safe handling	
Advice on safe handling :	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drink-

ing should be prohibited in the application area. Follow stand-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild Patio Wizard Concentrate Revision Date 04.12.2017



TREVISION DURS ON TELEON	
	ard hygiene measures when handling chemical products
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Other data	: No decomposition if stored and applied as directed.
7.3 Specific end use(s)	
Specific use(s)	: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipm	t	
Eye protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Wear eye/face protection.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow man facturer specifications.	
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.	
Skin and body protection	Protective clothing (e.g. Safety shoes acc. to EN ISO 2034	5,



 Revision Date 04.12.2017
 Version 3.0
 Print Date 05.12.2017

 Iong-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
 Respiratory protection
 :
 No special measures required.

 Environmental exposure controls
 General advice
 :
 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour:colourlessOdour:characteristicOdour Threshold:No data availableFlash point:Not applicableAutoignition temperature:No data availableDecomposition temperature:No data availableLower explosion limit (Vol-%):No data availableIpper explosion limit (Vol-%):No data availableFlammability:No data availablePh:No data availablepH:No data availablepH:No data availableVapour pressure:No data availableVapour pressure:No data availableVater solubility::Water solubility::Soluble::	Appearance	:	liquid
Odour Threshold:No data availableFlash point:Not applicableAutoignition temperature:No data availableDecomposition temperature:No data availableLower explosion limit (Vol-%):No data availableUpper explosion limit (Vol-%):No data availableFlammability:No data availableExplosive properties:No data availablepH:No data availablepH:No data availableVapour pressure:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Colour	:	colourless
Flash point:Not applicableAutoignition temperature:No data availableDecomposition temperature:No data availableLower explosion limit (Vol-%):No data availableUpper explosion limit (Vol-%):No data availableFlammability:No data availableExplosive properties:No data availablepH:No data availablepH:No data availableVapour pressure:No data availableVapour pressure:0,01 hPaDensity:Ca.1 g/cm3 at 20 °C	Odour	:	characteristic
Autoignition temperature:No data availableDecomposition temperature:No data availableLower explosion limit (Vol-%):No data availableUpper explosion limit (Vol-%):No data availableFlammability:No data availableExplosive properties:No data availableOxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Odour Threshold	:	No data available
Decomposition temperature:No data availableLower explosion limit (Vol-%):No data availableUpper explosion limit (Vol-%):No data availableFlammability:No data availableFlammability:No data availableExplosive properties:No data availableOxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Flash point	:	Not applicable
Lower explosion limit (Vol-%):No data availableUpper explosion limit (Vol-%):No data availableFlammability:No data availableExplosive properties:No data availableOxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Autoignition temperature	:	No data available
Upper explosion limit (Vol-%):No data availableFlammability:No data availableExplosive properties:No data availableOxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point:No data availableVapour pressure:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Decomposition temperature	:	No data available
Flammability:No data availableExplosive properties:No data availableOxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point:No data availableBoiling point/boiling range:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Lower explosion limit (Vol-%)	:	No data available
Explosive properties:No data availableOxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point Boiling point/boiling range:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Upper explosion limit (Vol-%)	:	No data available
Oxidizing properties:No data availablepH:No data availableMelting point/range / Freez- ing point Boiling point/boiling range:No data availableVapour pressure:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Flammability	:	No data available
pH:No data availableMelting point/range / Freez- ing point Boiling point/boiling range:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Explosive properties	:	No data available
Melting point/range / Freez- ing point Boiling point/boiling rangeNo data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	Oxidizing properties	:	No data available
ing point Boiling point/boiling range : No data available Vapour pressure : 0,01 hPa Density : ca.1 g/cm3 at 20 °C	рН	:	No data available
Boiling point/boiling range:No data availableVapour pressure:0,01 hPaDensity:ca.1 g/cm3 at 20 °C	e . e	:	No data available
Density : ca.1 g/cm3 at 20 °C		:	No data available
at 20 °C	Vapour pressure	:	0,01 hPa
Water solubility : soluble	Density	:	
	Water solubility	:	soluble

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Everbuild Patio Wizard Concentrate



Version 3.0



Partition coefficient: n- octanol/water	: No data available	
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: >7 mm2/s at 40 °C	
Relative vapour density	: No data available	
Evaporation rate	: No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions.
10.4 Conditions to avoid		
Conditions to avoid	:	No data available
10.5 Incompatible materials		
Materials to avoid	:	No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.



Version 3.0



Germ cell mutagenicity Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides :

```
M-Factor (Acute aquatic tox- : 10
icity)
M-Factor (Chronic aquatic : 1
toxicity)
```

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological infor-	: An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.
00 4000040500	



Print Date 05.12.2017

Very toxic to aquatic life with long lasting effects.

Version 3.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Contaminated packaging	: 15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR		
14.1 UN number 14.2 UN proper shipping name	 1760 CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides) 	
14.3 Transport hazard class(es) 14.4 Packing group Classification Code Labels Tunnel restriction code 14.5 Environmental hazards	: 8 : III : C9 : 8 : (E) : yes	
IATA 14.1 UN number 14.2 UN proper shipping name	 1760 Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides) 	
14.3 Transport hazard class(es) 14.4 Packing group Labels 14.5 Environmental hazards	: 8 : III : 8 : yes	
Country GB 100000010533	. ,00	9 /





IMDG	
14.1 UN number	: 1760
14.2 UN proper shipping name	: CORROSIVE LIQUID, N.O.S.
	(Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides)
14.3 Class	: 8
14.4 Packing group	-: III
Labels	: 8
EmS Number 1	: F-A
EmS Number 2	: S-B
14.5 Marine pollutant	: yes
	Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Restriction REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).		None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances subject to authorisation : Not applicable (Annex XIV)			
REACH Information:	All substances contained in - preregistered or registered - preregistered or registered - excluded from the regulat - exempted from the registr	d by our upstream sur d by us, and/or ion, and/or	opliers, and/or
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances.			
E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t	Quantity 2 200 t

	HAZARDS	
VOC-CH (VOCV)	: no VOC duties	
VOC-EU (solvent)	: Not applicable	



If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	: Environmental Protection Act 1990 & Subsidiary Regulations
mental regulation/legislation	Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH)
	May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Full text of other abbreviations

Acute Tox. Aquatic Acute	Acute toxicity Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS	Chemical Abstracts Service
DNEL	Derived no-effect level
EC50	Half maximal effective concentration
GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships,
	1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the
	Council of 18 December 2006 concerning the Registration, Evaluation,
	Authorisation and Restriction of Chemicals (REACH), establishing a
	European Chemicals Agency
SVHC	Substances of Very High Concern





vPvB

Very persistent and very bioaccumulative

Version 3.0

Classification of the mixture:		Classification procedure:
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !